REFERENCES

- AAHPERD. (1984). Manual of health-related physical fitness of school students. Philadelphia, USA: AAHPERD.
- AAIDD (American Association on Intellectual Developmental Disabilities) (2010).

 Intellectual disability: Definition, classification, and systems of supports.

 Washington, DC: AAIDD.
- American Association on Mental Retardation (AAMR). (2002). *Mental retardation:*Definition, classification, and systems of supports (10th ed.). Washington, DC.
- Alesi, M., Battaglia, G., Roccella, M., Testa, D., Palma, A., & Pepi, A. (2014). Improvement of gross motor and cognitive abilities by an exercise training program: Three case reports. *Neuropsychiatric Disease and Treatment, 10*, 479-485.
- Amin, D. J., & Goodman, M. (2014). The effects of selected asanas in Iyengar yoga on flexibility: Pilot study. *Journal of Bodywork and Movement Therapies*, 18, 399–404.
- Aouadi, R., Nawi Alanazi, H. M., & Tim, G. (2015). Impact of physical exercise on reactive time and cognitive function in Tunisian mentally deficient adolescents. *Journal of Clinical Trials*, 5, 206.
- Armstrong, W. J., & Smedley, J. M. (2003). Effects of a home-based yoga exercise program on flexibility in older women. *Clinical Kinesiology*, *57*, 1–6.

- Asonitou, K., Mpampoulis, T., Irakleous-Paleogou, H., & Koutsouki, D. (2018). Effects of an adapted physical activity program on physical fitness of adults with intellectual disabilities. *Scientific Research*, 8(3), 321-336.
- Bandini, L. G., Curtin, C., Hamad, C., Tybor, D. J., & Must, A. (2005). Prevalence of overweight in children with developmental disorders in the continuous National Health and Nutrition Examination Survey (NHANES) 1999–2002. *Journal of Pediatrics*, 146(6),738–743.
- Bandini, L. G., Gleason, J., Curtin, C., Lividini, K., Anderson, S. E., Cermak, S. A., Must, A. (2013). Comparison of physical activity between children with autism spectrum disorders and typically developing children. Autism: *The International Journal of Research and Practice*, 17,44–54.
- Baran, F., Aktop, A., Ozer, D., Nalbant, S., Aglamış, E., Barak, S., & Hutzler, Y. (2013). The effects of a Special Olympics Unified Sports Soccer training program on anthropometry, physical fitness and skilled performance in Special Olympics soccer athletes and non-disabled partners. *Research in Developmental Disabilities*, 34(1), 695-709.
- Barbara, H., Connolly, B. C., Majorie, H., & Woollacott, M. W. (1986). Performance of retarded children, with and without Down"s syndrome, on the BruininksOseretsky Test of Motor Proficiency. *Physical Therapeis*, 66, 344-348.

- Bar-Or, L. J., Skinner, S., Bergsteinova, V., Shearburn, C., Royer, D., Bell, W., Haas, J.Buskirk, E.R. (1971). Maximal aerobic capacity of 6-15-year-old girls and boys with subnormal intelligence quotients. *Acta Paediatrica Scandinavica*. (Suppl 217), 108–113.
- Bartlo, P., & Klein, P. J. (2011). Physical activity benefits and needs in adults with intellectual disabilities: systematic review of the literature. *American Journal on Intellectual and Developmental Disabilities*, 116(3), 220-232.
- Baumeister, A. A., Hawkins, W. F., & Kellas, G. (1965). Reaction speed as a function of stimulus intensity in normal 'and retardates. *Perceptual and Motor Skills*, 20, 649-652.
- Bedekar, C., & Hande, D. (2017). Effect of yoga on health-related physical fitness.

 International Journal of Multidisciplinary Research and Development, 4(3), 105-109.
- Bera, T. K., & Rajapurkar, M. V. (1993). Body composition, cardiovascular endurance and anaerobic power of yogic practitioners. *Indian Journal of Physiology and Pharmacology*, 37, 225–228.
- Berktaş, N., Yanardag, M., Yılmaz, I., Aras, O., Konukman, F., & Boyaci, A. (2011). The effects of inclusion class programmes on physical fitness for children with mental challenges. *Developmental Neurorehabilitation*, *14*(6), 389-393.

- Bhat, S., Varambally, S., Karmani, S., Govindaraj, R., & Gangadhar, B. N. (2016).

 Designing and validation of a yoga-based intervention for obsessive compulsive disorder. *International Review of Psychiatry*, 28(3), 327-333.
- Bhaumik S, Watson, J. M., Thorp, C. F., Tyrer, F., & McGrother, C. W. (2008) Body mass index in adults with intellectual disability: distribution, associations and service implications: a population-based prevalence study. *Journal of Intellectual Disability Research*, 52, 287-298.
- Bickum, D. (1995). *The History of Graded Exercise Testing in Cardiac Rehabilitation*. Mecroform Publication: University of Oregon.
- Bonadies, V. (2004). A yoga therapy program for AIDS-related pain and anxiety: Implications for therapeutic recreation. *Therapeutic Recreation Journal*, 38, 148-166.
- Brahmachari, D. (1965). Yogic Suksma Vyayama. Vishwayatan Yogashram.
- Brandon, L. J., Boyette, L. W., Gaasch, D. A., & Lloyd, A. (2000). Effects of lower extremity strength training on functional mobility of older adults. *Journal of Aging and Physical Activity*, 8, 214–227.
- Brewer, N., & Nettelbeck, T. (1977). The influence of contextual cues on the choice reaction time of mildly retarded adults. *American Journal of Mental Deficiency*, 82, 37-43.

- Brownstein, A. H., & Dembert, M. L. (1989). Treatment of essential hypertension with yoga relaxation therapy in a USAF aviator: A case report. *Aviation, Space, & Environmental Medicine, 60*, 684-687.
- Calders, P., Elmahgoub, S., Roman de Mettelinge, T., Vandenbroeck, C., Dewandele, I., Rombaut, L., Vandevelde, A., Cambier, D. (2011). Effect of combined exercise training on physical and metabolic fitness in adults with intellectual disability: A controlled trial. *Clinical Rehabilitation*, 25(12), 1097-108.
- Campbell, J., & Ball J. (1978). Energetics of walking in cerebral palsy. *Orthopedic Clinics North America*, 9, 374 –377.
- Carlon, S. L., Taylor, N. F., Dodd, K. J., & Shields, N. (2013). Differences in habitual physical activity levels of young people with cerebral palsy and their typically developing peers: A systematic review. *Disability and Rehabilitation*, 35(8), 647-655.
- Casey, A. F., Rasmussen, R., Mackenzie, S. J., & Glenn, J. (2010). Dual-energy x-ray absorptiometry to measure the influence of a 16-week community-based swim training program on body fat in children and adolescents with intellectual disabilities. *Archives of Physical Medicine and Rehabilitation*, 91(7), 1064-1069.
- Chaiwanichsiri, D., Sanguanrungsirikul, S., & Suwannakul, W. (2000). Poor physical fitness of adolescents with mental retardation at Rajanukul School. Bangkok. *Journal of Medical Association of Thailand, 83*(11), 1387-1392.

- Chanias, A. K., Reid, G., & Hoover, M. L. (1998). Exercise effects on health-related physical fitness of individuals with an intellectual disability: A meta-analysis. *Adapted Physical. Activity, 15*, 119–140.
- Choi, E., Park, H., Ha, Y., & Hwang, W. J. (2012). Prevalence of overweight and obesity in children with intellectual disabilities in Korea. *Journal of Applied Research in Intellectual Dyabilities*, 25(5), 476-483.
- Chow, B. C., Choi, P., & Huang, W. (2018). Physical activity and physical fitness of adults with intellectual disabilities in group homes in Hong Kong. *International Journal of Environmental Research and Public Health*, *15*(7), 1370.
- Collins, (1998). Yoga: Intuition, preventive medicine, and treatment. *Journal of Obstetric, Gynecologic and Neonatal Nursing*, 27, 563-568.
- Collins, K., & Staples, K. (2017). The role of physical activity in improving physical fitness in children with intellectual and developmental disabilities. *Research in Developmental Disabilities*, 69, 49-60.
- Cowen, V. S. (2010). Functional fitness improvements after a worksite-based yoga initiative. *Journal of Bodywork and Movement Therapies*, 14, 50-54.
- Curtin, C., Anderson, S. E., Must, A., & Bandini, L. (2010). The prevalence of obesity in children with autism: A secondary data analysis using nationally representative data from the National Survey of Children's Health. *BMC Pediatrics*, 10.

- Damiano, D. L., & DeJong, S. L. (2009). A systematic review of the effectiveness of treadmill training and body weight support in pediatric rehabilitation. *Journal of Neurologic Physical Therapy*, 33(1), 27-44.
- Darrah, J., Wessel, J., Nearingburg, P., & O'Connor, M. (1999). Evaluation of a community fitness program for adolescents with cerebral palsy. *Pediatric Physical Therapy*, 11, 18–23.
- Dehghanizade, J., Rahmati Arani M., & Heydari, M. (2018). The effect of braitonic exercise on the motor skills of educable children with intellectual disability. *Journal of Exceptional Children, 18* (1), 85-96.
- Dichter, C., Darbee, J., Effgen, S. K., & Palisano, R. (1993). Assessment of pulmonary function and physical fitness in children with Down syndrome. *Pediatric Physical Therapy*, 5, 3–8.
- Digambarji, S., & Gharote, M. L. (1978). *Shiva Samhita*. Kaivalyadhama, Lonavala, India.
- Durstine, J. L., Painter, P., Franklin, B. A., *et al.* (2000). Physical activity for the chronically ill and disabled. *Sports Medicine*, *30*, 207–219.
- Elmahgoub, S. M., Lambers, S., Stegen, S., Van, Laethem, C., Cambier, D., & Calders, P. (2009). The influence of combined exercise training on indices of obesity, physical fitness and lipid profile in overweight and obese adolescents with mental retardation. *European Journal of Pediatrics*, *168* (11), 1327-1333.

- Elmahgoub, S. S., Calders, P., Lambers, S., Stegen, S. M., Van Laethem, C., & Cambier, D. C. (2011). The effect of combined exercise training in adolescents who are overweight or obese with intellectual disability: the role of training frequency. *Journal of Strength and Conditioning Research*, 25(8), 2274-2282.
- Erbahceci, N. U. F. (2001). The evaluation of reaction time on mentally retarded children. *Pediatric rehabilitation*, *4*(1), 17-20
- Fernhall, B., & Pitetti, K. H. (2001). Limitations to physical work capacity in individuals with mental retardation. *Clinical Exercise Physiology*, *3*, 176–185.
- Fernhall, B., & Tymeson, G. T. (1988) Validation of a cardiovascular fitness field test for adults with mental retardation. *Adapted Physical. Activity*, *5*, 49–59.
- Fernhall, B., & Unnithan, V. B. (2002). Physical activity, metabolic issues, and assessment. *Physical Medicine and Rehabilitation Clinics of North America*, 13, 925–947.
- Fernhall, B., Pitetti, K. H., Vukovich, M. D., Stubbs, N., Hensen, T., Winnick, J. P., & Short, F. X. (1998). Validation of cardiovascular fitness field tests in children with mental retardation. *American Journal of Mental Retardation*, 102(6), 602-612.
- Fisher, A., Reilly, J. J., Kelly, L. A., Montgomery, C., Williamson, A., Paton, J. Y., & Grant, S. (2005). Fundamental movement skills and habitual physical activity in young children. *Medicine & Science in Sports & Exercise*, *37*(4), 684-688.

- Fotiadou A., Angelaki, C., & Mavroidis, I. (2017). Learner autonomy as a factor of the learning progress in distance education. *European Journal of Open, Distance & e learning, 20*(1), 95-110.
- Fragala-Pinkham, M. A., Haley, S. M., Rabin, J., & Kharasch, V. S. (2005). A fitness program for children with disabilities. *Physical Therapies*, 85(11), 1182-200.
- Frey, G. C., & Chow, B. (2006). Relationship between BMI, physical fitness, and motor skills in youth with mild intellectual disabilities. *International Journal of Obesity (Lond).*, 30 (5), 861-867.
- Ghai, O. P. (2001). *Ghai Essential Pediatrics (*Fifth edition), Mehata publishers: New Delhi chap. 22, 475-487.
- Gharote, M. L. (1976). Effect of yoga exercises on failures on the Kraus-Weber tests.

 *Perceptual & Motor Skills, 43, 654.
- Giagazoglou, P., Kokaridas, D., Sidiropoulou, M., Patsiaouras, A., Karra, C., & Neofotistou, K. (2013). Effects of a trampoline exercise intervention on motor performance and balance ability of children with intellectual disabilities. Research in Developmental Disabilities, 34(9), 2701-2707.
- Gillespie, Mike. (2003). Cardiovascular fitness of young Canadian children with and without mental retardation. *Education and Training in Developmental Disabilities*, 38(3), 296–301.
- Gleser, J. M., Margulies, J. Y., Nyska, M., Porat, S., Mendelberg, H., & Wertman, E. (1992). Physical and psychosocial benefits of modified judo practice for blind,

- mentally retarded children: A pilot study. *Perceptual and Motor Skills*, 74(3 Pt 1), 915-925.
- Golubovic, S., Maksimovic, J., Golubovic, B., & Glumbic, N. (2012). Effects of exercise on physical fitness in children with intellectual disability. *Research in Developmental Disabilities*, 33(2), 608-614.
- Gonçalves, L. C., Vale, R. G., Barata, N. J., Varejao, R. V., & Dantas, E. H. (2011). Flexibility, functional autonomy and quality of life (QoL) in elderly yoga practitioners. *Archives of Gerontology and Geriatrics*, *53*, 158-162.
- Gonzalez-Aguero, A., Vicente-Rodriguez, G., Moreno, L. A., Guerra-Balic, M., Ara, I., & Casajus, J. A. (2010). Health-related physical fitness in children and adolescents with Down syndrome and response to training. *Scandinavian Journal of Medicine & Science in Sports*, 20(5), 716-724.
- Govindaraj, R., Varambally, S., Sharma, M., & Gangadhar, B. N. (2016). Designing and validation of a yoga-based intervention for schizophrenia. *International Review of Psychiatry*, 28(3), 323-326.
- Graham, A., & Reid, A. (2000). Physical fitness of adults with an intellectual disability:

 A 13-year follow-up study. *Research Quarterly for Exercise and Sport, 71*,

 152–161.
- Guidetti, L., Franciosi, E., Gallotta, M., Emerenziani, G., & Baldari, C. (2010). Could sport specialization influence fitness and health of adults with mental retardation? *Research in Developmental Disabilities*, 31, 1070-1075.

- Gupte, R. (2005). Olakh matimandanchi. Dombivali: Radhika Prakashan.
- Hale, L., Bray, A., & Littmann, A. (2007). Assessing the balance capabilities of people with profound intellectual disabilities who have experienced a fall. *Journal of Intellectual Disability Research*, 51, 260-268.
- Halle, J. W., Gabler-Halle, D., & Chung, Y. B. (1999). Effects of a peer mediated aerobic conditioning program on fitness levels of youth with mental retardation: two systematic replications. *Mental Retardation*, 37(6), 435–448.
- Hariprasad, V. R., Varambally, S., Varambally, P. T., Thirthalli, J., Basavaraddi, I. V., & Gangadhar, B. N. (2013). Designing, validation and feasibility of a yogabased intervention for elderly. *Indian Journal of Psychiatry*, 55(Suppl 3), S344-S349.
- Harris, J. C. (2006). *Intellectual disability: Understanding its development, causes, classification, evaluation, and treatment.* New York: Oxford University Press. pp 42-98.
- Hartman, E., Houwen, S., Scherder, E., & Visscher, C. (2010). On the relationship between motor performance and executive functioning in children with intellectual disabilities. *Journal of Intellectual Disability Research*, 54(5), 468-477.
- Hayakawa, K., & Kobayashi, K. (2011). Physical and motor skill training for children with intellectual disabilities. *Perceptual and Motor Skills*, 112(2), 573-580.

- Herrick, C. M., & Ainsworth, A. D. (2000). Invest in yourself. Yoga as a self-care strategy. *Nursing Forum*, 35, 32-36.
- Hill, D. L., Parks, E. P., Zemel, B. S., Shults, J., Stallings, V. A., & Stettler, N. (2013).
 Resting energy expenditure and adiposity accretion among children with Down syndrome: A three-year prospective study. *European Journal of Clinical Nutrition*, 67, 1087–1091.
- Hogan, D. P., Rogers, M. L., & Msall, M. E. (2000). Functional limitations and key indicators of well-being in children with disability. *Archives of Pediatric & Adolescent Medicine*, 154(10), 1042-1048.
- Horvat, M. (1987). Effects of progressive resistive training program on an individual with spastic cerebral palsy. *American Corrective Therapy Journal*, 41, 7–11.
- Ijbarathi. (2012). *Yoga: A ray of hope*. Mumbai, Maharashtra India: Complete Wellbeing Publishing Pvt Ltd 502, A-wing, Sagar Tech Plaza, Saki Naka Junction, Andheri (East).
- Isha, S., Deshpande, S., Ganpat, T. S., & Nagendra, H. R. (2015). Yoga module for heart disease. *Journal of Mahatma Gandhi Institute of Medical Sciences*, 20(2), 153.
- Jankowicz-Szymanska, A., Mikolajczyk, E., & Wojtanowski, W. (2012). The effect of physical training on static balance in young people with *intellectual* disability. *Research in Developmental Disabilities*, 33(2), 675-681.

- Jeoung, B. (2018). Motor proficiency differences among students with intellectual disabilities, autism, and developmental disability. *Journal of Exercise Rehabilitation*, 14(2), 275-281.
- Kakde, N., Metri, K. G., Varambally, S., Nagaratna, R., & Nagendra, H. R. (2017).

 Development and validation of a yoga module for Parkinson disease. *Journal of Complementary & Integrative Medicine*, 14(3). pii: /j/jcim.2017.14.issue-3/jcim-2015-0112/jcim-2015-0112.xml. doi: 10.1515/jcim-2015-0112
- Kessel, S. (1999). Growing Old Like Everyone. The Relationship between Aging and Mental Retardation (Second edition). Neve Natoa, Hadera: Israel.
- Khalili, M. A., & Elkins, M. R. (2009). Aerobic exercise improves lung function in children with intellectual disability: A randomised trial. *Australian Journal of Physiotherapy*, 55(3), 171-175.
- Kim S. S. (2017). Effects of endurance exercise and half-bath on body composition, cardiorespiratory system, and arterial pulse wave velocity in men with intellectual disabilities. *Journal of physical therapy science*, 29(7), 1216-1218.
- King, D., & Mace, E. (1990). Acquisition and maintenance of exercise skills under normalized conditions by adults with moderate and severe mental retardation. *Mental Retardation*, 28(5), 311–317.
- Kocic, M., Bojic, I., Aleksandrovic, M., Ignjatovic, A., & Radovanovic, D. (2017).

 Physical activity in adolescent with mental retardation: Is adapted basketball

- training adequate stimulus to improve cardiorespiratory fitness and sport skills performance? *Acta Facultatis Medicae Naissensis*, 34(2), 159-168.
- Kongkaew, C., Lertsinthai, P., Jampachaisri, K., Mongkhon, P., Meesomperm, P., Kornkaew, K., & Malaiwong, P. (2018). The Effects of Thai Yoga on Physical Fitness: A Meta-Analysis of Randomized Control Trials. *The Journal of Alternative and Complementary Medicine*, 24(6), 541-551.
- Kubilay, N. S., Yildirim, Y., Kara, B., & Harutoglu, Akdur, H. (2011). Effect of balance training and posture exercises on functional level in mental retardation. *Fizyoterapy Rehabilitation*, 22(2), 55-64.
- Latha, D., & Kaliappan, K. V. (1992). Efficacy of yoga therapy in the management of headaches. *Journal of Indian Psychology*, 10(1-2), 41-47.
- Lavey, R., Sherman, T., Mueser, K. T., Osborne, D. D., Currier, M., & Wolf, R. (2005).

 The effects of yoga on mood in psychiatric inpatients. *Psychiatric Rehabilitation Journal*, 28, 399-402.
- Lawshe, C. H. (1975). A quantitative approach to content validity. *Personnel Psychology*, 28, 563–575.
- Lewis, C. L., & Fragala-Pinkham, M. A. (2005). Effects of aerobic conditioning and strength training on a child with Down syndrome: a case study. *Pediatric Physical Therapy*, 17(1), 30-36.

- Lotan, M., Isakov, E., Kessel, S., & Merrick, J. (2004). Physical fitness and functional ability of children with intellectual disability: effects of a short-term daily treadmill intervention. *Scientific World Journal*, 14(4), 449-457.
- Lotan, M., Yalon-Chamovitz, S., & Weiss, P. L. (2010). Virtual reality as means to improve physical fitness of individuals at a severe level of intellectual and developmental disability. *Research Developmental Disability*, 31(4), 869-874.
- Madanmohan, Jatiya, Lakshmi., Udupa, K., & Bhavnani, A. B. (2003). Effect of yoga training on handgrip, respiratory pressures and pulmonary function. *Indian Journal of Physiology and Pharmacology*, 47(4), 387-392.
- Maïano, C., Hue, O., Morin, A. J. S., & Moullec, G. (2016). Prevalence of overweight and obesity among children and adolescents with intellectual disabilities: A systematic review and meta-analysis. *Obesity Reviews*, 17(7), 599-611.
- Maltais, D. B., Wiart, L., Fowler, E., Verschuren, O., & Damiano, D. L. (2014). Health-related physical fitness for children with cerebral palsy. *Journal of child neurology*, 29(8), 1091-100.
- Melvin, L., Thornton, M. D., Eugene, F., Diamond, M. D., John, P., & Garvin, M. D. (1974). Athletic activities for children who are mentally retarded. *Pediatrics*, 54(3), 376-377.
- Mikolajczyk, E., & Jankowicz-Szymanska, A. (2015). Does extending the dual-task functional exercises workout improve postural balance in individuals with ID? Research in Developmental Disabilities. 38, 84-91.

- Minshew, N. J., Sung, K., Jones, B. L., & Furman, J. M. (2004). Underdevelopment of the postural control system in autism. *Neurology*, *63*, 2056-2061.
- Mohanty, S., Hankey, A., Pradhan, B., & Ranjita, R. (2016). Yoga teaching protocol adapted for children with visual impairment. *International Journal of Yoga*, 9(2), 114-120.
- Moonaz, S. H., Bingham, C. O., Wissow, L., & Bartlett, S. J. (2015). Yoga in sedentary adults with arthritis: effects of a randomized controlled pragmatic trial. *Journal of Rheumatology*, 42(7), 1194-202.
- Must, A., Curtin, C., Hubbard, K., Sikich, L., Bedford, J., & Bandini, L. (2014). Obesity prevention for children with developmental disabilities. *Current Obesity Reports*, 3(2), 156-70.
- Nagamatsu, L. S., Chan, A., Davis, J. C, Beattie, B. L., Graf, P., Voss, M. W., Ambrose, T. L. (2013). Physical activity improves verbal and spatial memory in older adults with probable mild cognitive impairment: A 6-months randomized controlled trial. *Journal of Aging Research*, 33, 861–893.
- Naveen, G. H., Rao, M. G., Vishal, V., Thirthalli, J., Varambally, S., & Gangadhar, B. N. (2013). Development and feasibility of yoga therapy module for out-patients with depression in India. *Indian Journal of Psychiatry*, *55*(Suppl 3), S350-6.
- Naveen, K. V., & Telles, S. (1999). Sudomotor sympathetic hypofunction in Down's syndrome. *Indian Journal of Physiology and Pharmacology*, 43(4), 463-466.

- Oviedo, G. R., Guerra-Balic, M., Baynard, T., & Javierre, C. (2014). Effects of aerobic, resistance and balance training in adults with intellectual disabilities. *Research in Developmental Disabilities*, 35(11), 2624-34.
- Ozmen, T., Ryildirim, N. U,,Yuktasir, B., & Beets, M. W. (2007). Effects of school-based cardiovascular-fitness training in children with mental retardation. *Pediatric Exercise Science*, 19(2), 171-178.
- Pansare, M. S., Kulkarni, A. N., & Pendse, U. B. (1989). Effect of yogic training on serum LDH levels. *Journal of Sports Medicine and Physical Fitness*, 29, 177–178.
- Parisa, S., Yaha, S., & Reza, S. (2015). The effect of eight-week yoga exercise on balance and gait in girls with intellectual disability. *Biological Forum-An International Journal*, 7(1), 1295-1300.
- Patil, N. J., Nagarathna, R., Tekur, P., Patil, D. N., Nagendra, H. R., & Subramanya, P. (2015). Designing, validation, and feasibility of integrated yoga therapy module for chronic low back pain. *International Journal of Yoga*, 8(2), 103-108.
- Peck, H. L., Kehle, T. J., Bray, M. A., & Theodore, L. A. (2005). Yoga as an intervention for children with attention problems. *School Psychology Review*, 34, 415-424.
- Petric, M., Vauhnik, R., & Jakovljevic, M. (2014). The impact of hatha yoga practice on flexibility: A pilot study. *Alternative and Integrative Medicine*, *3*, 160.

- Phillips, A. C., & Holland, A. J. (2011). Assessment of objectively measured physical activity levels in individuals with intellectual disabilities with and without Down's syndrome. *PLoS ONE 6*(12), e28618.
- Pise, V., Pradhan, B., Gharote, M. M. (2018). Effect of yoga practices on psycho-motor abilities among intellectually disabled children. *Journal of Exercise Rehabilitation*, 14(4), 581-585.
- Pitetti, K. H., & Boneh, S. (1995). Cardiovascular fitness as related to leg strength in adults with mental retardation. *Medicine & Science in Sports Exercise*, 27(3), 423–428.
- Pitetti, K. H., & Tan, D. M. (1991). Effects of a minimally supervised exercise program for mentally retarded adults. *Medicine & Science in Sports Exercise*, 23(5), 594–601.
- Polsgrove, M. J., Eggleston, B. M., & Lockyer, R. J. (2016). Impact of 10-weeks of yoga practice on flexibility and balance of college athletes. *International Journal of Yoga*, 9(1), 27 34.
- Pommering, T. L., Brose, J. A., Randolph, E., Murray, T. F., Purdy, R. W., Cadamagnani, P. E., & Foglesong, J. E. (1994). Effects of an aerobic exercise program on community-based adults with mental retardation. *Mental Retardation*, 32(3), 218-226.

- Purohit, S. P., Pradhan, B. & Nagendra, H. R. (2015). Effect of yoga program on psychomotor performances of orphan adolescents: a randomized wait-list controlled study. *International Scientific Yoga Journal SENSE*, 5(5).55-63.
- Purohit, S. P., Pradhan, B., & Nagendra, H. R. (2016). Effect of yoga on EUROFIT physical fitness parameters on adolescents dwelling in an orphan home: A randomized control study. *Vulnerable Children and Youth Studies*, 11(1), 33-46.
- Radhakrishna, S. (2010). Application of integrated yoga therapy to increase imitation skills in children with autism spectrum disorder. *International Journal of Yoga*, 3(1), 26–30.
- Raghuraj, P., & Telles, S. (1997). Muscle power, dexterity skill and visual perception in community home girls trained in yoga or sports and in regular school girls. *Indian Journal of Physiology and Pharmacology, 41*, 409-415.
- Raju, P. S., Kumar, K. A., Reddy, S. S., Madhavi, S., Gnanakumari, K., Bhaskaracharyulu, C., Girijakumari, D. (1986). Effect of yoga on exercise tolerance in normal healthy volunteers. *Indian Journal of Physiology and Pharmacology*, 30, 121–132.
- Ram, A., Raghuram, N., Rao, R. M., Bhargav, H., Koka, P. S., Tripathi, S., Ramarao, N. H. (2012). Development and validation of a need-based integrated yoga program for cancer patients: A retrospective study. *Journal of Stem Cells*, 7(4), 269-282.

- Raub, J.A. (2002). Psychophysiologic effects of Hatha yoga on musculoskeletal and cardiopulmonary function: A literature review. *Journal of Alternative and Complementary Medicine*, 8, 797-812.
- Ray, U. S., Mukhopadhyaya, S., Purkayastha, S. S., Asnani, V., Tomer, O. S., & Prashad, R. (2001). Effect of yogic exercises on physical and mental health of young fellowship course trainees. *Indian Journal of Physiology and Pharmacology*, 45, 37-53.
- Rimmer, J. H., Heller, T., Wang, E., & Valerio, I. (2004). Improvements in physical fitness in adults with Down syndrome. *American Journal of Mental Retardation*, 109, 165–174.
- Roth, B., & Stanley, T. W. (2002). Mindfulness-based stress reduction and healthcare utilization in the inner city: Preliminary findings. *Alternative Therapies in Health and Medicine*, 8, 64-66.
- Saraswati, S. M., & Saraswati, S. S. (1998). *Hatha Yoga Pradipika*. Yoga Publications Trust.
- Satish, V., Rao, R. M., Manjunath, N. K., Amritanshu, R., Vivek, U., Shreeganesh, H.
 R., & Deepashree, S. (2018). Yoga versus physical exercise for cardio-respiratory fitness in adolescent school children: A randomized controlled trial.
 International Journal of Adolescent Medicine and Health. doi: 10.1515/ijamh-2017-0154. [Epub ahead of print].

- Schott, N., & Holfelder, B. (2015). Relationship between motor skill competency and executive function in children with Down's syndrome. *Journal of Intellectual Disability Research*, *59*, 860–872.
- Schurrer, R., Weltman, A., & Brammell, H. (1985). Effects of physical training on cardiovascular fitness and behavior patterns of mentally retarded adults.

 *American Journal of Mental Deficiency, 90(2), 167-170.
- Seiler, G., & Renshaw, K. (1978). Yoga for kids. *Elementary School Guidance and Counseling*, 12, 229-237.
- Shannahoff-Khalsa, D. S., Sramek, B. B., Kennel, M. B., & Jamieson, S. W. (2004). Hemodynamic observations on a yogic breathing technique claimed to help eliminate and prevent heart attacks: A pilot study. *Journal of Alternative and Complementary Medicine*, 10, 757-766.
- Shapiro, D., Cook, I. A., Davydov, D. M., Ottaviani, C., Leuchter, A. F., & Abrams, M. (2007). Yoga as a complementary treatment of depression: Effects of traits and moods on treatment outcome. *Evidence Based Complementary and Alternative Medicine*, 4, 493-502.
- Sharma, M., Kumar, S., Chavan, B. S. (2016). Effect of adaptive yoga therapy in increasing hand steadiness among children with intellectual disability. *The International Journal of Indian Psychology*, 4(1), 11-17.
- Singh, S., & Singh, J. P. (2014). Impact of pranayama on fine moter coordination ability of children with intellectual impairment. *Creative Education*, *5*(04), 273–278.

- Skowronski, Waldemar., Horvat, Michael., Nocera, Joe., Roswal, Glenn., Croce, Ron. (2009). Eurofit Special: European fitness battery score variation among individuals with intellectual disabilities. *Adapted Physical Activity Quarterly*, 26, 54-67.
- Srilakshmidevi, B., Suseela, V. (2017). Effect of yogic practices on flexibility among mentally challenged children. *International Journal of Research-Granthaalayah*, 5(7), 56-60.
- Staples, K., & Reid, G. (2010). Fundamental movement skills and autism spectrum disorders. *Journal of Autism and Developmental Disorders*, 40, 209–217.
- Tamin, T. Z., Idris, F. H., Mansyur, M., & Soegondo, S. (2015). Model and effectiveness of endurance exercise to increase physical fitness in intellectual disability subjects with obesity: a randomized controlled trial. *Acta Medica Indonesiana.*, 47(2), 127-35.
- Tamin, T., Idris, F., Mansyur, M., & Syarif, D. (2014). Prevalence and determinants of obesity in students with intellectual disability in Jakarta. *Medical Journal of Indonesia*, 23(2), 106-11.
- Telles, S., Hanumanthaiah, B., Nagarathna, R., & Nagendra, H. R. (1993). Improvement in static motor performance following yogic training of school children. *Perceptual & Motor Skills*, 76, 1264-1266.

- Tomporowski, P. D., & Ellis, N. R. (1984). Effects of exercise on the physical fitness, intelligence, and adaptive behavior of institutionalized mentally retarded adults. *Applied Research in Mental Retardation*, *5*(3), 329-337.
- Tran, M. D., Holly, R. G., Lashbrook, J., & Amsterdam, E. A. (2001). Effects of hatha yoga practice on health-related aspects of physical fitness. *Preventive Cardiology*, 4, 165-170.
- Uma, K., Nagendra, H.R., Nagarathna, S., Vaidehi, & Seethalakshmi, R. (1989). The integrated approach of yoga: A therapeutic tool for mentally retarded children:
 A one-year controlled study. *Journal of Mental Deficiency Research*, 33, 415-421.
- Valentin-Gudiol, M., Bagur-Calafat, C., Girabent-Farres, M., Hadders-Algra, M., Mattern-Baxter, K., & Angulo-Barroso, R. (2013). Treadmill interventions with partial body weight support in children under six years of age at risk of neuromotor delay: A report of a Cochrane systematic review and meta-analysis. *European Journal of Physical and Rehabilitation Medicine, 49*(1), 67-91.
- Van der Molen, M. J., Van Luit, J. E., Van der Molen, M. W., & Jongmans, M. J. (2010). Everyday memory and working memory in adolescents with mild intellectual disability. *American Journal of Intellectual and Developmental Disabilities*, 115(3), 207-217.
- Van der Molen, M. J., Van Luit, J. E., Van der Molen, M. W., Klugkist, I., & Jongmans,M. J. (2010). Effectiveness of a computerised working memory training in

- adolescents with mild to borderline intellectual disabilities. *Journal of Intellectual Disability Research*, 54(5), 433-447.
- van der Putten, A., Vlaskamp, C., Reynders, K., & Nakken, H. (2005). Children with profound intellectual and multiple disabilities: the effects of functional movement activities. *Clinical Rehabilitation*, 19(6), 613-620.
- Vandorpe, B., Vandendriessche, J., Vaeyens, R., Pion, J., Matthys, S., Lefevre, J.Lenoir, M. (2012). Relationship between sports participation and the level of motor coordination in childhood: A longitudinal approach. *Journal of Science and Medicine in Sport*, 15, 220-225.
- Visceglia, E., & Lewis, S. (2011). Yoga therapy as an adjunctive treatment for schizophrenia: A randomized, controlled pilot study. *Journal of Alternative & Complimentary Medicine*, 17, 601-607.
- Vuijk, P. J., Hartman, E., Scherder, E., & Visscher, C. (2010). Motor performance of children with mild intellectual disability and borderline intellectual functioning. *Journal of Intellectual Disability Research*, 54, 955-965.
- Westendorp, M., Hartman, E., Houwen, S., Smith, J., & Visscher, C. (2011). The relationship between gross motor skills and academic achievement in children with learning disabilities. *Research in Developmental Disabilities*, 32, 2773–2779.

- Whitt-Glover, M. C., O'Neill, K. L., & Stettler, N. (2006). Physical activity patterns in children with and without down syndrome. *Pediatric Rehabilitation*, 9 158–164.
- Williams, K. A., Petronis, J., Smith, D., Goodrich, D., Wu, J., Ravi, N., Steinberg, L. (2005). Effect of Iyengar yoga therapy for chronic low back pain. *Pain, 115*, 107-117.
- Wu, C. L., Lin, J. D., Hu, J., Yen, C. F., Yen, C. T., Chou, Y. L., & Wu, P. H. (2010). The effectiveness of healthy physical fitness programs on people with intellectual disabilities living in a disability institution: six-month short-term effect. *Research in Developmental Disabilities*, 31(3), 713-717.
- Wu, W. L., Yang, Y. F., Chu, I. H., Hsu, H. T., Tsai, F. H., & Liang, J. M. (2017).
 Effectiveness of a cross-circuit exercise training program in improving the fitness of overweight or obese adolescents with intellectual disability enrolled in special education schools. *Research in Developmental Disabilities*, 60 83-95.
- Wuang, Y.P., Wang, C. C., Huang, M. H., & Su, C. Y. (2008). Profiles and cognitive predictors of motor functions among early school age children with mild intellectual disabilities. *Journal of Intellectual Disability Research*, 52(12), 1048-1060.
- Yildirim, N. U., Erbahçeci, F., Ergun, N., Pitetti, K. H., & Beets, M. W. (2010). The effect of physical fitness training on reaction time in youth with intellectual disabilities. *Perceptual & Motor Skills*, 111(1),178-186.